EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	151	(719/318).cor.	USPAT	OR	ON	2007/09/13 14:26
L2	64	(network$3 same print$3 same (pass$work secret token certificate)).clm.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L3	28	(network$3 same print$3 same (secur$6 privat$3 confident$6)) same (pass$3 forward$3 re$direct$3) with (token certificate)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L4	769	(726/3).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 14:26
L5	309	(726/21).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 14:26
L6	1065	L4 or L5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L7	56	L6 and (network$3 same print$3 same (secur$6 privat$3 confident$6))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L8	17	("6307640").URPN.	USPAT	OR	ON	2007/09/13 14:18
L9	3	(("6,307,640") or ("6,348,972") or ("6,711,677")).PN.	US-PGPUB; USPAT	OR	OFF	2007/09/13 14:18
L10	823	(713/151,161).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 14:51
L11	696	(719/313).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 14:18
L12	1065	L4 or L5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L13	309	(726/21).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 14:18
L14	769	(726/3).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 14:18
L15	879	(719/318).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 14:18
L16	113	network near3 print$3 same (password authenticat$4 authoriz$5) same remot$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L17	216	(secure$2 privates2 confidential$3 secre63 privacy) with print near3 (job task request) same (network$3 remote$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L18	234	(secure$2 privates2 confidential$3 secre$3 privacy) with print near3 (job task request) same (network$3 remote$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L19	46	(network remote$2) near3 print$3 near2 (job task request) with (password token key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18

L20	64	remot$3 with (print$3) same (notif$4 or notification or inform$3 or notice) near2 (receiv$3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L21	53	remot$3 with (print$3) same (notif$4 or notification or inform$3) near2 (receiv$3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L22	57	(secure$3 privates confidential$3 secre$3 privacy) with print near3 (job task request) same (remote$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L23	7	remot$3 with (print$3) near (privat$3 or secur$4) same (notif$3 or notification or inform$3 or notice or message or event or signal) near2 (receiv$3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L24	2	remot$3 with (print$3) same (notif$4 or notification or inform$3 or notice) near2 (receivS3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L25	54	(secure$2 private$2 confidential$3 secret$3) with print near3 (job task request) same (remote$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L26	54	(secure$2 private$2 confidential$3 secret$3) with print near3 (job task request) same remote$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L27	5	(secur$4 or private) with print$3 same (notify$3 or notification or inform$3) with (reciever or recipient or retriever)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L28	280	(secure$2 private$2 confidential$3 secret$3) with print near3 (job task request) and remote$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L29	229	(secur$4 or private) same print$3 same (notify$3 or notification or inform$3) near2 (reciever or recipient or retriever or client or customer or terminal or process or computer or operator)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L30	45	(secur$4 or private) same print$3 same (notify$3 or notification or inform$3) with (reciever or recipient or retriever)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L31	62	(secur$6 or private) with print$3 same (notify$3 or notification or communicat$3 or inform$3) with (reciever or recipient or retriever)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18

L32	8	(secur$4 or private) near print$3 same (notify$3 or notification or communicat$3 or inform$3) with (reciever or recipient or retriever)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L33	26	(secur$4 or private) near2 print$3 same (notif$4 or notification or inform$3) near2 (reciever or recipient or retriever or client or customer or terminal or process or computer or operator)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L34	19	(secur$5 or private) near2 print$3 same (notify$3 or notification or inform$3) near2 (reciever or recipient or retriever or client or customer or terminal or process or computer or operator)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L35	24	(secur$4 or privat$3) with remot$3 with (print$3) same (notif$4 or notification or inform$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L36	354	(secur$4 or private) near print$3 same (client or user or terminal) same (password or authoriz$5 or authenticat$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L37	148	(secur$4 or privat$3) near2 (prin$3) with remot$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L38	50	((secur$5 or privat$3 or secret$3 or confident$6) near3 (print$3) same remot$3 with (authoriz$6 or authenticat$6))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L39	329	((secur$4 or priva$3 or secre$3 or confiden$6) near print$3) same remot$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L40	39	((secur$4 or privat$3 or secret$3 or confiden$6) near3 print$3) same remot$3 near2 device	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L41	1297	((secur$4 or priva$3 or secre$3 or confiden$6) near print$3) same remo$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L42	7037	(358/1.15).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 14:18
L43	11	(print$3) near (privat$3 or securu) same (notif$4 or notification or inform$3 or notice or message or event or signal) near2 (receiv$3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:18
L44	1943	(358/1.14).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 14:26
L45	365	(713/160).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 14:26
L46	272	(719/318).cor.	US-PGPUB	OR	ON	2007/09/13 14:26
L47	314	(726/3).CCLS.	US-PGPUB	OR	OFF	2007/09/13 14:26
L48	104	(726/21).CCLS.	US-PGPUB	OR	OFF	2007/09/13 14:26

L49	1013	(358/1.14).CCLS.	US-PGPUB	OR	OFF	2007/09/13 14:26
L50	472	(713/151).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 14:52
L51	206	(713/152).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 14:52

Google

network secure print job notification authentic	Search	Advanced Search
		Preferences

New! View and manage your web history

Web   Results **1 - 34** of **34** from **ieeexplore.ieee.org** for **network secure print job notification authentication**. (0.25 seconds)

[PDF] Hospital financial electronic reporting - Electrical and Computer ...
secure LDAP (LDAPS). Every step of the. **authentication** is protected fiom snooping
by ... **print job**, and create a printed copy of the financial ...
ieeexplore.ieee.org/iel5/7909/21812/01013120.pdf - Similar pages

[PDF] The specification and enforcement of advanced **security** policies ...
If the number of **print jobs** created during the day is higher .... vices, such as
authentication, audit, and **notification**. access identity ...
ieeexplore.ieee.org/iel5/7903/21795/01011300.pdf - Similar pages

[PDF] DoKumobility: Web services for the mobile worker
security for services such as the billing service. 2.3. Coordination Service .... **print
jobs**. Finally, the **notification** service routes messages ...
ieeexplore.ieee.org/iel5/10610/33519/01592448.pdf?arnumber=1592448 -
Similar pages

[PDF] Protocol Scrubbing: **Network Security** Through Transparent Flow ...
work protocol specifications to deceive **network security** sys- .... **authentication**
schemes. In contrast, the protocol scrubber's ...
ieeexplore.ieee.org/iel5/90/28714/01288131.pdf?arnumber=1288131 - Similar pages

[PDF] When to trust mobile objects: access control in the Jini Software ...
This stub could redirect a **print job**. to a host outside the firewall, ... its own **security**:
at the very least, it should not grant **network** access to ...
ieeexplore.ieee.org/iel5/6380/17059/00787541.pdf - Similar pages

[PDF] Management Policy Service for Distributed Systems - Services in ...
print jobs. pm2-1. A+. @users. -. Q restricted-users. {submit-printjob() .....
Symposium on **Network** and Distributed System. **Security**, San Diego, Feb. ...
ieeexplore.ieee.org/iel3/3748/10947/00502441.pdf?
isNumber=10947&arNumber=00502441&isnumber=10947... - Similar pages

[PDF] MILITARY COMMUNICATIONS CONFERENCE
INFORMATION AND **NETWORK SECURITY**. TELECOMMUNICATION
STANDARDS. DEVELOPMENTS ... **authentication** and explains how cryptography
equipment can ...
ieeexplore.ieee.org/iel5/35/23782/01091416.pdf - Similar pages

[PDF] Location-based e-campus web services: from design to deployment ...
ing printing, but **authentication** and **security** are their main. concerns. ..... The us er
reques ts a **print job**. from the Remote Printing Server ...
ieeexplore.ieee.org/iel5/8487/26747/01192743.pdf?arnumber=1192743 -
Similar pages

[PDF] Itinerant agents for mobile computing - IEEE Personal Communications
... batch **jobs** on mainframes and to. receive results, typically **print** files, back for
local ...... **network security**, electronic commerce, mobile computing, ...
ieeexplore.ieee.org/iel4/98/9856/00468361.pdf?arnumber=468361 - Similar pages

[PDF] Ubiquitous Computing using Wireless Broadcast
on the same sub-**network** will all send out the broadcast ..... However, to **secure** the
privacy of each user,. each **print job** element can be encrypted with the ...
ieeexplore.ieee.org/iel5/9476/30062/01377316.pdf?arnumber=1377316 -
Similar pages

[PDF] Novelty in IT development projects: a case study of practices in a ...
authentication procedure to ensure Positive User. **Authentication**. This project was
characterized as. Type C. since not only was a **secure** system of remote ...
ieeexplore.ieee.org/iel5/6378/17057/00787832.pdf?arnumber=787832 - Similar pages

[PDF] Coordination middleware supporting rapid deployment of ad hoc ...
tuple space particularly easy. This veneer overcomes these. problems by requiring
password **authentication** for use of. special **secure** tuple spaces. ...
ieeexplore.ieee.org/iel5/8560/27094/01203580.pdf?arnumber=1203580 -
Similar pages

[PDF] Cross-platform integration with XML and SOAP - IT Professional
process A received real-time **notification** when an error ..... You can **secure**. access
to SOAP Web services using HTTP **authentication**, ...

ieeexplore.ieee.org/iel5/6294/20605/00952977.pdf - Similar pages

[PDF] Hierarchical Policy Based Management Architecture to Support the
Security. No (IP). Yes (Java). No (IP). **Authentication**. In this first section, we
present the .... **network**. In the case of ISP, policies are defined based ...
ieeexplore.ieee.org/iel5/9433/29935/01367210.pdf - Similar pages

[PDF] Issue Image no(s) - Computer
Network security. Policy modeling. industrial **security**. cryptography and other.
Information flow. **Authentication**. Database **security**. **Security** and other ...
ieeexplore.ieee.org/iel1/2/9181/x0107822.pdf - Similar pages

[PDF] Shifting paradigms with the application service provider model ...
Today's virtual private **network** technol-. ogy can make any Internet connection highly
secure. against outside interference. Similarly, encryption can ...
ieeexplore.ieee.org/iel5/2/20660/00955095.pdf?arnumber=955095 - Similar pages

[PDF] B M e M C :
Condor/Condor-G client tools, with **security** handled through the use of X.509 digital
certificates. ... certificate **authentication**. Once **jobs** are submitted ...
ieeexplore.ieee.org/iel5/5992/32606/01524856.pdf?arnumber=1524856 -
Similar pages

[PDF] Issue Image no(s) - Computer
readers acquire and maintain critical **job** skills-and learn ...... workstation is physically
secure, some part of the **network** ...
ieeexplore.ieee.org/iel1/2/8308/x0161503.pdf - Similar pages

[PDF] TELNET: THE MOTHER OF ALL (APPLICATION) PROTOCOLS
ages to send Web pages, audio, **print**. **jobs**, news tickers, even distributed. RPC
messages. ... Warning or **notification** Initiator deactivated option; ...
ieeexplore.ieee.org/iel4/4236/15040/00683804.pdf?arnumber=683804 - Similar pages

Welcome to IEEE Xplore
In particular, a **Security** Assertion Markup Language (SAML) has been specified so
that the authorization and **authentication** information between different WS ...
ieeexplore.ieee.org/iel5/5/29301/1323290/1323290.html - Similar pages

[PDF] IEEE Guide to the POSIX Open System Environment (OSE)
For example, a user identification and **authentication** operation may include ......
Security for remote **print jobs**. ☐ Distributed management communications ...
ieeexplore.ieee.org/iel1/4247/12008/00552903.pdf - Similar pages

[PDF] Issue Image no(s) - Computer
cryptographic protocols), **authentication**, authorization, datalsystem integrity, ...
Network services (directory, **security**, file management etc.) ...
ieeexplore.ieee.org/iel1/2/8564/x0150689.pdf - Similar pages

[PDF] Issue Image no(s) - IEEE Aerospace and Electronics Systems Magazine
on both new and existing technology. It provides a **network** for those agencies and
individuals responsible. for **security**, safety and law enforcement who ...
ieeexplore.ieee.org/iel3/62/6510/x0296503.pdf - Similar pages

[PDF] IEEE Trial-Use Standard for Wireless Access in Vehicular ...
3.1.9 **notification**: An indication of an event of interest, ... WAVE **security** services
provide features such as **authentication** of control information. ...
ieeexplore.ieee.org/iel5/4167672/4167673/04167674.pdf?
tp=&isnumber=4167673&arnumber=4167674 - Similar pages

[PDF] Issue Image no(s) - Computer
prior **notification** your pick-up time will be delayed and additional charges ......
Authentication Protocols, Timing Channels, Database **Security**, Information ...
ieeexplore.ieee.org/iel1/2/5537/x0323845.pdf - Similar pages

[PDF] An Ada-Compatible Distributed Database Management System
mary duties are to provide **network** communication ser-. vices and failure
detection/**notification**. This component. also sequences failure notices with respect ...
ieeexplore.ieee.org/iel5/5/31373/01458048.pdf - Similar pages

[PDF] Issue Image no(s) - Computer
tions; the manual does an excellent **job**. of describing them. ..... **Security** is built into
PPP with the. Challenge Handshake **Authentication** ...
ieeexplore.ieee.org/iel1/2/7569/x0171367.pdf - Similar pages

[PDF] Information technology-Telecommunications and information exchange ...
ation is a **notification**, not a request. Disassociation cannot be refused by either .....
Security services in IEEE 802.11 are provided by the **authentication** ...
ieeexplore.ieee.org/iel5/4140841/4140842/04140843.pdf?
tp=&isnumber=4140842&arnumber=4140843 - Similar pages

network secure print job notification authentication site:ieeexplore.ieee.org - Google Search   Page 3 of 3

[PDF] Proceedings 2001 International Conference On Image Processing ...
AN EFFICIENT METHOD TO MAP A REGULAR MESH INTO A 3D NEURAL
NETWORK ...... ON THE **SECURITY** OF THE SARI IMAGE **AUTHENTICATION**
SYSTEM ...
ieeexplore.ieee.org/iel5/7594/20708/00958035.pdf - Similar pages

[PDF] 1003.1 standard for information technology portable operating ...
input/output (I/O), **job** control, **network**, portable operating system interface (...... the
notification mechanism. IEEE Std 1003.1-2001 defines only three ...
ieeexplore.ieee.org/iel5/7686/21000/00974400.pdf - Similar pages

[PDF] Trial-use standard standard for information technology software ...
8) Safety/**security**/privacy protection considerations, such as encryption, user
authentication,. compartmentalization, and auditing ...
ieeexplore.ieee.org/iel5/7009/18906/00873588.pdf - Similar pages

[PDF] IEEE Std 1003.1', 2004 Edition, Standard for Information ...
input/output (I/O), **job** control, **network**, portable operating system interface (...... A
clear definition of an execution environment for **notification** is ...
ieeexplore.ieee.org/iel5/9159/29074/01309814.pdf - Similar pages

[PDF] 1003.1 standard for information technology - portable operating ...
input/output (I/O), **job** control, **network**, portable operating system ...... audible
notification. It is the character designated by '\a' in the C language. ...
ieeexplore.ieee.org/iel5/7683/20997/00974398.pdf - Similar pages

[PDF] IEEE Standard for Local and metropolitan area networks Media ...
The Bridged Local Area **Network** created allows the interconnection of stations ......
The next queue is devoted to a little extra **job security** by separating ...
ieeexplore.ieee.org/iel5/9155/29062/01309630.pdf - Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 34 already displayed.
If you like, you can repeat the search with the omitted results included.

Try Google Desktop: search your computer as easily as you search the web.

network secure print job notification   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

http://www.google.com/search?num=100&hl=en&rls=GGLD,GGLD:2004-30,GGLD:en&as_qdr=al...   9/13/07